

MTI
CANADA

A LEADER SINCE 1955
FARM MACHINERY
OUTDOOR POWER EQUIPMENT



2025

VISIT WWW.MTICANADA.CA
TO SEE THE FULL RANGE
OF OUR PRODUCTS

70
ANNIVERSARY
1955-2025

SHREDDERS



SINCE 1964



GIRAFFA S 160M SHREDDER

- Internal gearbox
- Universal self-balancing category I attachment
- Working width : 1.60 m (5'3")
- 32 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 25-35 HP
- Belts, skids
- Other widths available : 1.2 m (4') and 1.4 m (4'7")

Starting at **\$ 7 699**



GIRAFFA M 160M SHREDDER

- Internal gearbox
- Universal self-balancing category I attachment
- Working width : 1.60 m (5'3")
- 22 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 45-60 HP
- Transmission belt : external adjustment
- Skids
- Other widths available : 1.2 m (4'), 1.4 m (4'7") and 1.8 m (5'11")

Starting at **\$10 899**



GIRAFFA M SE 180M SHREDDER

- External gearbox
- Universal self-balancing category I attachment
- Working width : 1.75 m (5'8")
- 24 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 50-60 HP
- Transmission belt : external adjustment
- Skids
- Other widths available : 1.2 m (4'), 1.4 m (4'7") and 1.6 m (5'3")

Starting at **\$11 899**



GIRAFFA LSE 190M SHREDDER

- External gearbox
- Category II attachment
- Working width : 1.84 m (6'3")
- 22 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 40-80 HP, skids
- Transmission belt : external adjustment
- Other widths available : 1.49m (4'11") and 1.64 m (5'5")

Starting at **\$ 14 999**

Find your local dealer. Please visit our website : www.mticanada.ca



SHREDDERS



SINCE 1964

GIRAFFA XL SI 210M SHREDDER

- Internal gearbox
- Categories II and III attachment
- Working width : 2.12 m (6'11")
- 22 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 70-110 HP
- Transmission belt : external adjustment
- Other widths available : 1.6 m (5'3") and 1.85 m (6')

Starting at **\$18 299**



GIRAFFA XL SE 210M SHREDDER

- External gearbox
- Categories II and III attachment
- Working width : 2.12 m (6'11")
- 22 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 70-110 HP
- Transmission belt : external adjustment
- Other widths available : 1.6 m (5'3") and 1.85 m (6')

Starting at **\$19 399**



GIRAFFA XXL 260M SHREDDER

- External gearbox
- Categories II and III attachment
- Working width: 2.57 m (8'5")
- 20 hammers
- Hydraulic system for side and inclined offset
- 540 rpm PTO, 140-200 HP
- Transmission belt : external adjustment
- Other widths available : 2.10 m (6'10") and 2.26m (7'4")

Starting at **\$29 999**



Find your local dealer. Please visit our website : www.mticanada.ca

MTI
CANADA



SD4049 ROTARY TILLER

- Category I attachment
- Slip clutch
- Working width : 1.25 m (4'1")
- Working depth : 18 cm (7")
- 24 blades, 4 blades/disc
- Required power : 25-35 HP
- Other widths available : 1.45 m (57") and 1.65 m (65")

Starting at **\$ 3 699**



SD4065 ROTARY TILLER

- Category I attachment
- Slip clutch
- Working width : 1.65 m (5'4")
- Working depth : 18 cm (7")
- 32 blades, 4 blades /disc
- Required power : 35-45 HP
- Other widths available : 1,25 m (4'1") and 1,45 m (4'9")

Starting at **\$ 3 899**



HD6073 ROTARY TILLER

- Categories I and II attachment
- Slip clutch
- Working width : 1.85 m (6'1")
- Working depth : 22 cm (8,5")
- 54 blades, 6 blades/disc
- Required power : 30-60 HP
- Other widths available : 1,25 m (4'1") and 1,57 m (5'2")
- Reversible model available

Starting at **\$ 4 999**



H185-SK ROTARY TILLER

- Category II attachment
- Slip clutch
- Working width : 1.85 m (6')
- Working depth : 20 cm (8")
- 54 blades
- Required power : 45-60 HP

Starting at **\$ 8 399**

ROTARY HARROWS

MASCHIO

SINCE 1964

DELFINO SUPER 2300PR ROTARY HARROW

(SKU: DELFINO2300PR)

- Category II attachment
- Working width: 2.3 m (7'5")
- Working depth: 28 cm (11")
- 18 blades
- Required power: 65-120 HP
- Slip clutch
- Side deflectors
- Packer roller
- PTO rotation speed : 540 rpm

Starting at **\$ 15 899****DELFINO SUPER 2500-PBSC ROTARY HARROW**

(SKU: DELSUP2500PBSC)

- Category II attachment
- Working width: 2.5 m (8')
- Working depth: 28 cm (11")
- 20 blades
- Required power: 70-120 HP
- Slip clutch
- Mechanical leveling bar
- Packer roller
- PTO rotation speed : 540 rpm

Starting at **\$ 20 999****DRAGODC 3000 PR ROTARY HARROW**

- Category II attachment
- Working width: 3 m (9' 10")
- Working depth: 28 cm (11")
- 28 blades
- Required power: 90-150 HP
- Cardan 1 3/8 " - 21
- Packer roller
- PTO rotation speed 1000 rpm

Starting at **\$ 24 999**Find your local dealer. Please visit our website : www.mticanada.ca**MTI**
CANADA



FORESTRY WINCHES

	Pulling capacity	Steel cable	Required power	Starting at
FAEW35RKIT	3 556 kg (7 840 lb)	10 mm x 50 m (7/16" x 160')	15 HP	\$ 5 899
FAEW50RKIT	5 080 kg (11 200 lb)	11 mm x 55 m (7/16" x 180')	50 HP	\$ 6 799

WOOD CHIPPERS

	Maximum cutting diameter	rpm	Required power	Starting at
FAECH18KIT	18 cm (7")	540/100	40-94 HP	\$ 15 999
FAECH27DMR	26 cm (10")	540/100	54-154 HP	\$ 27 999

FAECH18 and FAECH27 : Hydraulic roller feed



CRANES AND FORESTRY TRAILERS

	Maximum loading capacity (calculated without grapple and rotator)	Reach	Starting at
FAECR24	760 kg (1 676 lb) 3 m from the arrow	4.2m (13'8")	\$ 24 999
FAEFT7	7 000 kg (15 432 lb)	400/60-15.5 14PLYS	
	Maximum loading capacity (calculated without grapple and rotator)	Reach	
FAECR47	840 kg (1 852 lb) 4 m from the arrow	6.9m (22'7")	\$ 42 999
FAEFT9	9 000 kg (19 842 lb)	400/60-15.5 14PLYS	



FAECR47



Find your local dealer. Please visit our website : www.mticanada.ca

T505FSM STRAW SHREDDER SPREADER WITH FEED SLIDE **T505M-002 STRAW SHREDDER SPREADER**

- Dry material only
- 1 000 rpm PTO
- Round bales
- Drum length : 1.80 m (6')
- Drum diameter : 1.80 m (6')
- Width : 2.13 m (7')
- Screen included
- Required power : 80 HP

T505FSM Starting at **\$ 39 999**

T505M-002 Starting at **\$ 29 999**



T505FSM
1,80m (6') drum



T505M-002
1,80m (6') drum



T505M-009 2.74m (9') drum
Round or rectangular bales

also available

T5050-2 STRAW / SILAGE SHREDDER SPREADER

- Dry, wet or frozen material
- 540 rpm or 1 000 rpm speed
- Round bales
- Drum length : 1.80 m (6')
- Drum diameter : 1.80 m (6')
- Width: 2.48 m (8'3")
- Required power for dry material : 60 HP
- Required power for wet material : 80 HP

Starting at **\$ 32 399**



T5050-2 1.80m (6') drum



T5050XL 2.74m (9') drum
Round or rectangular bales

also available



CALIBRATOR-C12 **STRAW SHREDDER**

- Dry material only
 - 1 000 rpm PTO
 - Round or rectangular bales
 - Required power : 170-200 HP
 - 11 tons/hour capacity
- Starting at **\$ 112 999**



T8500 SC **STRAW SHREDDER SPREADER/ SILAGE**

- Dry or humid material
 - Round or rectangular bales
 - PTO speed : 540 rpm
 - Required power : 80 HP
 - Bale chamber dimensions : 1.7m x 1.25m x 2.98m (5'6" x 4'1" x 9'9")
 - Projection distance : 22 m (72')
 - Swivel chute
- Starting at **\$ 64 999**



SPIRO 200H **CONCRETE MIXER**

- Category II attachment
 - Drum volume : 560 L
 - Mixing volume : 280 L
 - Hydraulic motor drive
- Starting at **\$ 3 999**



ENERGY 155M SHREDDER

- Offset model
- 40 hammers
- Working width : 1.55 m (5')
- Category I attachment
- Roller, hydraulic side shift
- 540 rpm PTO, up to 30 HP
- Free wheel in the gearbox
- Other width available : 1.3 m (4'3")

Starting at **\$9 199**



YOUNG 165-M SHREDDER

- Category I attachment
- 16 hammers
- Counter-knife
- Working width : 1.62 m (5'4")
- Hydraulic system for lateral tilt offset
- 540 rpm PTO, up to 60 HP
- Free wheel in the gearbox

Starting at **\$10 899**



YOUNG OS 165M SHREDDER

- Category I attachment
- 16 hammers
- Counter-knife
- Working width : 1.62 m (5'4")
- Double w/constant velocity joint
- Hydraulic system for lateral tilt offset
- 540 rpm PTO, up to 60 HP
- Outside gearbox with free wheel

Starting at **\$12 999**



COMPETITION GS OFFSET 200 SHREDDER

(SKU: COMPETITIONGSOS200)

- Hydraulic system for lateral tilt offset
- 16 hammers
- Working width : 2.01 m (6'6")
- Category II attachment
- Double w/constant velocity joint
- 540 rpm PTO, up to 60 HP
- Hardox double frame
- Self-cleaning rear roller
- Other widths available : 1.35m (4'5"), 1.65m (5'5") and 1.80m (5'11")

Starting at **\$16 899**

Find your local dealer. Please visit our website : www.mticanada.ca

PRIMATIST GS OFFSET 220 SHREDDER

(SKU: PRIMATIST-GS-0S220)

- 20 hammers
- Working width : 2.21 m (7'3")
- Category II attachment
- Double w/constant velocity joint
- 540 rpm PTO, up to 70 HP
- Hardox double frame
- Hydraulic system for lateral tilt offset
- Other widths available : 1.80 m (5'11") and 2 m (6'6")

Starting at **\$18 199**



MAGNUM PLUS GS OFF-SET 235M SHREDDER

(SKU: MAGNUMPLUSGSOS235M)

- 20 hammers
- Working width : 2.28 m (7'6")
- Categories II and III attachment
- Hydraulic system for lateral tilt offset with safety valve
- Double w/constant velocity joint
- 540 rpm PTO, up to 110 HP
- Skids
- Other widths available : 1.85 m (6'), 2.1 m (6'11") and 2.5 m (8'2")

Starting at **\$23 999**



LEADER PLUS 655 BUSHCUTTER WITH TELESCOPIC ARM

- Fitting of the main arm sideways : for greater reach
- Floating head not included (many sizes available)
- Multi-knives, double direction rotor rotation
- 105° hydraulic rotation
- High efficiency cast iron engine and pump
- Oleopneumatic suspension and oil cooler
- Flexible cables with floating device
- Also available : 505, 705T

Starting at **\$37 999**



LEADER GP 779T-9B BUSHCUTTER WITH TELESCOPIC ARM

- Fitting of the main arm sideways : for greater reach
- Floating head not included (many sizes available)
- Multi-knives, double direction rotor rotation
- 105° hydraulic rotation
- High efficiency cast iron engine and pump
- Oleopneumatic suspension and oil cooler
- Flexible cables with floating device
- Also available : GP509, GP659, GP699

Starting at **\$45 499**





SINCE 1954



DISC 260 S ALP **SIDE MOWER WITHOUT CONDITIONER**

- 3-point hitch
- Working width: 2.6 m (8'6")
- Disc rotation : 3185 rpm
- Required power : 50 HP
- Capacity : 3 ha/hour
- Cutting height : 40 to 70 mm (1.57" to 2.75")
- 540 rpm PTO

Starting at **\$15 999**



SILVERCUT 340 FS FRONT MOWER WITHOUT CONDITIONER

- Quick attach «A» frame, category II
- Hydropneumatic suspension S-Flow
- Working width : 3.32 m (10'10")
- Disc rotation : 3000 rpm
- Required power: 70 HP
- Capacity : 4 ha/hour
- Cutting height: 40-70 mm (1.57" to 2.75")
- 1000 rpm PTO

Starting at **\$35 999**



SILVERCUT 380 S SIDE MOWER WITHOUT CONDITIONER

- 3-point hitch
- Hydropneumatic suspension
- Working width : 3.67 m (12')
- Disc rotation : 3000 rpm
- Required power: 80 HP
- Capacity : 4.5 ha/hour
- Cutting height: 40-70 mm (1.57" to 2.75")
- 1000 rpm PTO

Starting at **\$31 999**



AIR 350 F FRONT-MOUNTED PICK-UP RAKE

- Working width : 4.05 m to 4.95m (13' to 16')
- Swath : 0.60 m to 1.5 m (2' to 5')
- Required power : 120 HP
- Capacity : 7.5 ha/hour
- Operation speed : 20 km/h
- Transport width: 3.5 m (11'6")

Starting at **\$54 999**

Find your local dealer. Please visit our website : www.mticanada.ca

RAKES | TEDDER

STAR 600-20CVDWS RAKE

- 2 rotors, 10 arms/rotor (4 pairs of tines/arm)
- Working width : 6 m (19' 8")
- Swath width : 0.60m to 1.20 m (2' to 3'11)
- Capacity : 8 ha/ hour
- Transport width: 2.25 m to 3 m (7' 5" to 9'10")
- Required power: 40 HP
- 540 rpm wide-angle PTO with safety clutch

Starting at **\$39 999**

STAR 850-26CV RAKE

- Low arms: 3-point hitch, categories I and II
- 2 rotors, 13 arms/rotor (4 pairs of tines/arm)
- Working width : 7.24 m to 8.3 m (23'9" to 27'3")
- Capacity : 10.5 ha/hour
- Hydraulic adjustment of swath width : 1.15 to 2.10 m (3'9" to 6'11")
- Transport width: 3 m (9'10")
- Required power: 55 HP
- 540 rpm wide-angle PTO with safety clutch

Starting at **\$53 999**

SPIDER 815ZTPROA TEDDER

- 2-point trailed attachment
- 8 rotors, 5 tines/rotor
- Working width : 7.85 m (25'8")
- Transport width : 2.98 m (9'9")
- Required power : 60 HP
- Capacity: 9.5 ha/hour
- 540 rpm PTO

Starting at **\$39 999**

AIR 900T TRAILED PICK-UP RAKE

- Working width : 7 m to 9m (23' to 29'5")
- Swath : 0.8 m to 2 m (2'6" to 6'5")
- Required power : 120 HP
- Capacity: 15 ha/hour
- Operation speed : 20 km/h
- Transport width: 2,95 m (9'8")

Starting at **\$174 999**



LOADERS AND ACCESSORIES



SINCE 1878

Front loaders for 25 to 400 HP tractors.
Available in **brand's colors** : Case IH, Claas,
Deutz-Fahr, Fendt, JCB, John Deere, Kubota,
Kioti, Landini, Mc Cormick, Massey Ferguson,
New Holland, Valtra and Zetor.
Basic loader **starting at \$ 6 715***



* Mounting bracket kit, valve kit, assembly,
shipping and taxes are not included.

Find your local dealer. Please visit our website : www.mticanada.ca





BUSHCUTTERS

	Working width	Starting at
ST48	122 cm (48")	\$ 2 699
ST60	152 cm (60")	\$ 2 799
ST72	183 cm (72")	\$ 3 499
ST72SC	183 cm (72")	\$ 3 599
MD60SC	152 cm (60")	\$ 3 899
MD72SC	183 cm (72")	\$ 4 199
HD84*	213 cm (84")	\$ 7 299

(*) ultra-robuste

LARGE CHOICE OF MODELS

STANDARD, MEDIUM & HEAVY DUTY

3-point hitch, category I
Required power 25 HP and more
Standard shearbolt
or friction disc (SC and HD models)
48 to 120 inches



BS BOX SCRAPERS

	Working width	Starting at
BS-4	122 cm (48")	\$ 1 399
BS-6HD*	183 cm (72")	\$ 2 199
BS-7HD*	213 cm (84")	\$ 2 399
BS-8HD*	244 cm (96")	\$ 2 599

(*) ultra-robuste

LARGE CHOICE OF MODELS

STANDARD & HEAVY DUTY

3-point hitch, categories I and II
Adjustable and replaceable rips on shank
4 to 8 feet



BL GRADER BLADES

	Working width	Starting at
BL-30-5	152 cm (60")	\$ 1 099
BL-70-8	244 cm (96")	\$ 3 199

LARGE CHOICE OF MODELS

STANDARD & HEAVY DUTY

3-point hitch, category I
SD rear blade 5' or 6'
5 forward and 5 reverse angle positions



OTHER EQUIPMENT

		Starting at
TH-3PT	Category I attachment	\$ 499
PP	Potatoe plow	\$ 499



PRM | XRM
rear discharge

OPTION
mulching kit



OMEGA 15P-CV
rear discharge




FUNNY

FUNNY TOP



cm	106	132	158
A	57	69	87
B	56	69	82
C	113	138	169
D	96	109	122



FINISHING MOWERS

- Rear discharge
- Hard tire or pneumatic
- 3-point hitch

	Width	Tire	Starting at
PRM 120	1.22 m (48")	hard	\$ 2 699
PRM 120P	1.22 m (48")	pneumatic	\$ 2 899
PRM 150	1.52 m (60")	hard	\$ 2 999
PRM 150P	1.52 m (60")	pneumatic	\$ 3 299
PRM 180	1.83 m (72")	hard	\$ 3 299
PRM 180P	1.83 m (72")	pneumatic	\$ 3 599
FMRD180P (frontale)	1.83 m (72")	pneumatic	\$ 3 899
PRM 215	2.15 m (84")	hard	\$ 4 399
PRM 215P	2.15 m (84")	pneumatic	\$ 4 699
XRM 235P	2.35 m (93")	pneumatic	\$ 4 699
OMEGA 15P-CV	4.5m (180")	pneumatic	\$ 23 999

SHREDDERS FUNNY

- 3-point hitch, category I, fixed
- Rotor with hammers
- Adjustable rear roller

	Width	Required power	Starting at
FUNNY106M	1.06 m (42")	12-30 HP	\$ 2 699
FUNNY132M	1.32 m (52")	12-30 HP	\$ 2 899
FUNNY158M	1.58 m (62")	12-30 HP	\$ 3 099

OFF-SET SHREDDERS FUNNY TOP

- 3-point hitch, category I, offset
- Rotor with hammers
- Adjustable rear roller, 3 positions

	Width	Required power	Starting at
FUNNYTOP106M	1.06 m (42")	12-30 HP	\$ 3 199
FUNNYTOP132M	1.32 m (52")	12-30 HP	\$ 3 299
FUNNYTOP158M	1.58 m (62")	12-30 HP	\$ 3 599

Find your local dealer. Please visit our website : www.mticanada.ca

FERTILIZER SPREADERS



Painted steel hopper

COEP-300 FERTILIZER SPREADER

- Capacity : 270 L, 320 kg (705 lb)
- Painted steel hopper, disc and palms, corrosion resistant
- 3-point attachment
- Working width : 8 to 14 m (26.5' to 46')
- Standard articulated agitator and hopper grid
- Required power : 20 HP

Starting at **\$ 999**



Painted steel hopper

COEP-500 FERTILIZER SPREADER

- Capacity : 385 L, 450 kg (992 lb)
- Painted steel hopper, disc and palms, corrosion resistant
- 3-point attachment
- Working width : 8 to 14 m (26.5' to 46')
- Standard articulated agitator and hopper grid
- Required power : 20 HP

Starting at **\$ 1 199**



PVC hopper

COEPL-500 FERTILIZER SPREADER

- Capacity : 385 L, 450 kg (992 lb)
- Plastic (PVC) hopper
- Stainless disc and palms
- 3-point attachment
- Working width : 8 to 14 m (26.5' to 46')
- Standard articulated agitator and hopper grid
- Required power : 20 HP

Starting at **\$ 1 389**

GRAIN AUGERS

GRAIN AUGERS WITH MOBILE STANDARD HOPPER

MKX21063G* 10" X 63'

MKX21073G* 10" X 73'

MKX21374** 13" X 74'

Other models available

(*) Low profile hopper options :

MK1036, MKX1053, MKX1063, MKX1073, MKX1083

(**) Low profile hopper series :

MKX1364, MKX1374, MKX1384, MKX13114,
MKX1685, MKX16125

Regular hopper only : MK851G, MK861G, MK871G

GRAIN AUGERS WITH FIXED HOPPER

WRX851 8" X 51'

WRX1031 10" X 31'

WRX1061 10" X 61'

SD drive kit

Options : Hydraulic drive (HD) or belt drive (BD) or electric motor drive (EMD) or PTO shaft drive (SD) or motor drive (MD). Optional plastic or steel hopper.



With poly flex spout for MKX2



Find your local dealer. Please visit our website : www.mticanada.ca



2025

MTI
CANADA

70
ANNIVERSARY
1955-2025



Your dealer

At your service since 1955

In the **farm machinery and outdoor power equipment** field for the last 70 years, MTI Canada offers **an exceptionnal choice of equipement from around the world.**

A LARGE RANGE OF EQUIPMENT AND REPLACEMENT PARTS TO FIT YOUR NEEDS !

The prices shown in this brochure are suggested retail prices only.

Price do not include taxes, delivery and mounting.

They may vary from one dealer to another, depending on the options and services.

Limited quantities. Prices are subject to change without notice.

Photos may not reflect the axact model and are for refernce purpose only.

Find your local dealer. Please visit our website : **www.mticanada.ca**

Follow us on www.facebook.com/mticanada | info@mticanada.ca | 1 866 718-4746